Tel 201.518.8472 / 800.388.0459 (USA & CANADA) / Email sales@msdiscounttool.com

PLASTIC SHIM STOCK **SERIES 677:**



Shop-Aid Plastic Shim Stock is color coded for your convenience. It is used where corrosion is a problem. 20 pieces per package. The size of the pieces are 5" x 20", 10" x 20" and 20" x 20". Plastic from .0005" to .030" is packaged 20 pieces per package; from .040" to .060" in our standard 10 piece package.

20 Pc. Paks / 5" x 20"

20 PC. Paks / 5 X 20				
Thickness	Order No.	Color	Price/ Pkg.	
.0005"	80901	Silver		
.001	80902	Amber		
.0015	80903	Purple		
.002	80904	Red		
.002	80905	Green		
.003	80906	Tan		
.005	80907	Blue		
.0075	80908	Matte		
.010	80909	Brown		
.0125	80910	Black		
.0125	80910	Pink		
	80912			
.020		Yellow		
.025	80913	White		
.030	80914	Coral		



10 Pc. Paks / 5" x 20"

	Order		Price/			
Thickness	No.	Color	Pkg.			
.040"	80915	Clear				
.050	80916	Clear				
.060	80917	Clear				

Assortment

14 Piece Pak includes: 1 each .0005", .001", .0015", .002", .003", .004", .005", .0075", .010", .0125", .015", .020", .025", .030"

Size	Order No.	Price
5" x 20"	80018	
10" x 20"	80036	
20" x 20"	80055	

items we can supply their

FEELER OR THICKNESS **GAGE STOCK SERIES 678:**



Manufactured from the highest quality C 1095 high carbon steel, hardened and tempered to RC 48-52. This material is ground carefully, then polished. Both coils and strips are clearly etched with thickness every six inches.

	1/2"x12	" Strips*	1/2"x25 Fo	ot Coils
Thickness	Order No.	Price (each)	Order No.	Price
.001	6780010		6785010	
.0015	6780015		6785015	
.002	6780020		6785020	
.0025	6780025		6785025	
.003	6780030		6785030	
.004	6780040		6785040	
.005	6780050		6785050	
.006	6780060		6785060	
.007	6780070		6785070	
.008	6780080		6785080	
.009	6780090		6785090	
.010	6780100		6785100	
.011	6780110		6785110	
.012	6780120		6785120	
.013	6780130		6785130	
.014	6780140		6785140	
.015	6780150		6785150	
.016	6780160		6785160	
.017	6780170		6785170	
.018	6780180		6785180	
.019	6780190		6785190	
.020	6780200		6785200	
.021	6780210		6785210	
.022	6780220		6785220	
.023	6780230		6785230	
.024	6780240		6785240	
.025	6780250		6785250	
.028	6780280		6785280	
.030	6780300		6785300	

THICKNESS GAGE OR **"FEELER" STOCK HOLDERS STARRETT SERIES 806**

SHOP

.





While we show only the most popular

entire range of products; please inquire.

Starrett No. 806 thickness gage holders provide a handy convenient means of rigidly holding single leaves or strips of thickness gage stock of any thickness from .001-.025" (0.03-0.5mm). Stock up to 6" (150mm) long is easily inserted in the holder and firmly gripped in the desired position by a cam lock. This permits all of the stock to be used, because as it wears from use the defective end can be snipped off and new stock pulled out until entirely used up.

Size approximately 3/32" thick x 9/16" wide x 5 1/4" long (2.4 x 14 x 19mm). No. 806D clamps have contrasting finish to eliminate the possible confusion on which end holds the thicker or thinner stock.

Catalog No.	EDP No.	Description	Price
806	53039	Holder only- Clamps stock at one end	
806D	53040	Holder only - Clamps stock at both ends	




THICKNESS GAGE OR "FEELER" STOCK IN ROLLS STARRETT SERIES 666:



THICKNESS GAGE OR "FEELER" STOCK

STARRETT SERIES 667:





Furnished in convenient 12" lengths, 1/2" wide in 32 different thickness ranging from .001" up to .030" thick. Millimeter sizes are furnished in 300mm lengths, 12.7mm wide in 14 different thicknesses ranging from 0.03-0.50mm. Made of finest tempered steel and carefully finished to size. Ends are rounded, no ragged edges. Convenient 3/16" hole punched in end for hanging up. Each piece is marked with thickness and furnished in an individual envelope.

Thickness	Catalog No.	EDP No.	Price
.0005"	667-1/2	64209	
.001"	667-1	52837	
.0015	667-1-1/2	52838	
.002	667-2	52839	
.0025	667-2-1/2	52840	
.003	667-3	52841	
.004	667-4	52842	
.005	667-5	52843	
.006	667-6	52844	
.007	667-7	52845	
.008	667-8	52846	
.009	667-9	52847	
.010	667-10	52848	
.011	667-11	52849	
.012	667-12	52850	
.013	667-13	52851	
.014	667-14	52852	
.015	667-15	52853	
.016	667-16	52854	
.017	667-17	52855	
.018	667-18	52856	
.019	667-19	52857	
.020	667-20	52858	
.021	667-21	52859	
.022	667-22	52860	
.023	667-23	52861	
.024	667-24	52862	
.025	667-25	52863	
.026	667-26	52864	
.027	667-27	52865	
.028	667-28	52866	
.029	667-29	52867	
.030	667-30	52868	
0.03mm	667M-3	52869	
0.04mm	667M-4	52870	
0.05mm	667M-5	52871	
0.06mm	667M-6	52872	
0.08mm	667M-8	52873	
0.10mm	667M-10	52874	
0.15mm	667M-15	52875	
0.20mm	667M-20	52876	
0.25mm	667M-25	52877	
0.30mm	667M-30	52878	
0.35mm	667M-35	52879	
0.40mm	667M-40	52880	
0.45mm	667M-45	52881	
0.50mm	667M-50	52882	

• Made of the finest tempered steel.

- Rolls are furnished in compact, sturdy, plastic rewindable dispenser case or bulk in a box.
- Marked every 6" or 150mm with a line, thickness in thousandths of an inch or hundredths of a mm (exception No. 666 1/2)
- Case provides the ability to snip off the desired length without any waste

1/2" x 25' Rolls in Dispenser Case

0005"666-1/264210*.001"666-152796.0015"666-11/2.002"666-252798.0025"666-252799.003"666-352800.004"666-452801.005"666-552802.006"666-652803.007"666-752806.008"666-852805.009"666-952807.009"666-1052807.010"666-1152806.010"666-1252809.012"666-1352810.014"666-1452811.015"666-1552812.016"666-169952813.017"666-179952814.018"666-189952813.019"666-2052817.019"666-219952818.022"666-2252819.023"666-2352820.024"666-249952821.025"666-259952821.022"666-249952821.025"666-259952824.05mm666M-352825.06mm666M-652826.08mm666M-1552829.05mm666M-1552829.05mm666M-2052830.15mm666M-1552829.06mm666M-352830.15mm666M-352830.15mm666M-3552831.15mm666M-3552831 </th <th colspan="2">Thickness Catalog No.</th> <th>EDP No.</th> <th>Price</th>	Thickness Catalog No.		EDP No.	Price
.001"666-152796.0015"666-11/252797.002"666-252798.0025"666-252799.003"666-352800.004"666-452801.005"666-552802.006"666-652803.007"666-752806.008"666-852805.009"666-952806.010"666-1052807.011"666-1152808.012"666-1252809.013"666-1352810.014"666-1452811.014"666-169952813.014"666-169952813.017"666-179952814.018"666-62052817.019"666-2152820.020"666-2252819.022"666-2252819.022"666-2252819.022"666-2352820.024"666-449952821.025"666-259952822.024"666-649952823.024"666-749952824.025"666-7552825.06mm666M-652826.08mm666M-7552825.06mm666M-7552825.06mm666M-7552831.15mm666M-7552831.15mm666M-7552831.15mm666M-7552831.25mm666M-7552831.25mm666M-75 <td< td=""><td>.0005"</td><td colspan="2">.0005" 666-1/2</td><td></td></td<>	.0005"	.0005" 666-1/2		
.0015"666-1 1/252797.002"666-252798.0025"666-252799.003"666-352800.004"666-452801.005"666-552802.006"666-652803.007"666-752806.008"666-852807.009"666-1052807.010"666-1152808.010"666-1252809.013"666-1352810.014"666-1452811.015"666-1552812.016"666-69952813.017"666-169952813.017"666-179952814.018"666-189952815.019"666-2052817.019"666-219952818.022"666-2252819.022"666-2352820.024"666-249952821.025"666-259952823.024"666-649952824.025"666-6452826.03mm666M-39952824.05mm666M-652826.06mm666M-1052827.010mm666M-1552828.05mm666M-2552831.05mm666M-2652826.08mm666M-352827.010mm666M-1552828.05mm666M-352823.05mm666M-6552823.05mm666M-6552831.15mm666M-755				
.0025"666-2 1/252799.003"666-352800.004"666-452801.005"666-552802.006"666-652803.007"666-752804.008"666-852805.009"666-952806.010"666-1052807.011"666-1152808.012"666-1252809.013"666-1352810.014"666-1452811.015"666-179952813.014"666-169952813.017"666-179952814.016"666-69952815.019"666-1952816.020"666-2052817.019"666-1952816.020"666-219952818.022"666-2252819.023"666-2352820.024"666-649952821.025"666-259952823.024"666M-39952824.025"666M-49952824.024"666M-652826.03mm666M-652826.08mm666M-652826.08mm666M-1552823.04mm666M-1552823.05mm666M-2552831.030mm666M-3052832.15mm666M-3552823.15mm666M-3552830.25mm666M-3552831.30mm666M-3552831.30mm666M-355				
.0025"666-2 1/252799.003"666-352800.004"666-452801.005"666-552802.006"666-652803.007"666-752804.008"666-852805.009"666-952806.010"666-1052807.011"666-1152808.012"666-1252809.013"666-1352810.014"666-1452811.015"666-179952813.014"666-169952813.017"666-179952814.016"666-69952815.019"666-1952816.020"666-2052817.019"666-1952816.020"666-219952818.022"666-2252819.023"666-2352820.024"666-649952821.025"666-259952823.024"666M-39952824.025"666M-49952824.024"666M-652826.03mm666M-652826.08mm666M-652826.08mm666M-1552823.04mm666M-1552823.05mm666M-2552831.030mm666M-3052832.15mm666M-3552823.15mm666M-3552830.25mm666M-3552831.30mm666M-3552831.30mm666M-355	.002"	666-2	52798	
.003"666-352800.004"666-452801.005"666-552802.006"666-652803.007"666-752804.008"666-852805.009"666-952806.010"666-1052807.011"666-1152807.012"666-1252809.013"666-1352810.014"666-1452811.015"666-1552812.016"666-169952813.017"666-179952813.017"666-189952813.017"666-189952816.018"666-189952818.022"666-2052817.018"666-6189952818.022"666-219952818.022"666-2252819.023"666-2352820.024"666-649952823.025"666-259952823.024"666M-39952824.025"666M-49952824.025"666M-552826.03mm666M-652826.08mm666M-652826.08mm666M-1552823.04mm666M-1552823.15mm666M-1552823.15mm666M-3052830.25mm666M-3552831.30mm666M-3552830.25mm666M-3552831.30mm666M-3552832.35mm666M-35		666-2 1/2		
.004"666-452801.005"666-552803.006"666-652803.007"666-752804.008"666-852805.009"666-952806.010"666-1052807.011"666-1252809.012"666-1352810.014"666-1452811.015"666-1552812.016"666-69952813.017"666-179952814.018"666-189952815.019"666-1952816.020"666-2052817.021"666-219952818.022"666-2252819.023"666-2352820.024"666-629952823.025"666-259952823.024"666-64M-39952823.025"666-6552825.005mm666M-352825.006mm666M-652826.008mm666M-352825.008mm666M-1552826.008mm666M-1552826.008mm666M-1552826.008mm666M-1552826.008mm666M-1552826.008mm666M-1552826.008mm666M-1552821.010mm666M-1552823.010mm666M-1552830.15mm666M-2552831.030mm666M-3552830.15mm666M-3552830.25mm666M-				
.005"666-552802.006"666-652803.007"666-752804.008"666-852805.009"666-952806.010"666-1052807.011"666-1152808.012"666-1252809.013"666-1352810.014"666-1452811.015"666-1552812.016"666-169952813.017"666-179952814.018"666-189952815.019"666-1952816.020"666-2052817.019"666-219952813.022"666-2252819.022"666-2352820.024"666-249952821.025"666-259952823.024"666-664-49952824.025"666-259952823.024"666M-39952823.03mm666M-49952824.05mm666M-552826.008mm666M-652826.008mm666M-1052828.010mm666M-1552829.020mm666M-1052830.15mm666M-2552831.15mm666M-2652830.15mm666M-3052831.15mm666M-3552831.15mm666M-3552831.15mm666M-3552831.15mm666M-3552831.15mm666M-3552831.15mm666M-35				
.006"666-652803.007"666-752804.008"666-852805.009"666-952806.010"666-1052807.011"666-1152808.012"666-1252809.013"666-1352810.014"666-1452811.015"666-1552812I/2" x 20' Rolls in Carbon BoxI/2" x 20' Rolls in Carbon Box.016"666-169952813.017"666-179952814.016"666-6189952815.019"666-1952816.020"666-2052817.021"666-219952818.022"666-2252819.023"666-2352820.024"666-249952821.025"666-259952822Ister reading by 52824.03mm666M-39952823.04mm666M-652826.03mm666M-652826.03mm666M-1052828.04mm666M-1552829.020mm666M-1552829.020mm666M-3052830.15mm666M-3552831.35mm666M-3552831.35mm666M-3552833.35mm666M-3552833.35mm666M-3552833.35mm666M-3552833.35mm666M-3552833.35mm666M-3552833.35mm <td< td=""><td></td><td></td><td></td><td></td></td<>				
.007"666-752804.008"666-852805.009"666-952806.010"666-1052807.011"666-1152808.012"666-1252809.013"666-1352810.014"666-1452811.015"666-1552812I/2" × 20' Rolls in Carbon Sega13.017"666-169952813.016"666-179952814.016"666-189952815.010"666-1952816.020"666-2052817.020"666-219952818.020"666-2252819.020"666-2352820.024"666-249952821.025"666-259952822.024"666-269952823.025"666-649952823.024"666M-39952823.025"666M-49952824.03mm666M-552826.003mm666M-652826.003mm666M-1052828.010mm666M-1552829.020mm666M-1552829.020mm666M-1552831.03mm666M-3052831.03mm666M-3552833.15mm666M-3552833.15mm666M-3552833.25mm666M-3552833.35mm666M-3552833.35mm666M-3552833.35mm666M-3552834.35mm <td></td> <td></td> <td>52803</td> <td></td>			52803	
.008"666-852805.009"666-952806.010"666-1052807.011"666-1152808.012"666-1252809.013"666-1352810.014"666-1452811.015"666-1552812I/2" × 20' Rolls in Cardboard Box.016"666-169952813.017"666-179952814.018"666-189952815.019"666-1952816.020"666-2052817.021"666-2252819.022"666-2352820.024"666-249952821.025"666-259952822Izr x 7.6m Willimeter readium rolls - Dispert Case.03mm666M-39952823.04mm666M-652826.03mm666M-652826.008mm666M-1052837.010mm666M-1552827.010mm666M-1552827.010mm666M-1052838.15mm666M-1552826.025mm666M-1552831.030mm666M-1052832.15mm666M-1352831.30mm666M-352832.35mm666M-352832.35mm666M-352832.35mm666M-4052834.30mm666M-4052834.30mm666M-4552835.30mm666M-4552834.30mm666M-4552835 <td></td> <td></td> <td>52804</td> <td></td>			52804	
.009"666-952806.010"666-1052807.011"666-1152808.012"666-1252809.013"666-1352810.014"666-1452811.015"666-15528121/2" × 20' Rolls in Carboard Box1/2" × 20' Rolls in Carboard Box.016".016"666-169952813.017"666-179952814.018"666-189952815.019"666-1952816.020"666-2052817.021"666-219952818.022"666-2252819.023"666-2352820.024"666-259952821.025"666-259952823.024"666-6449952824.025"666-7552825.006mm666M-39952823.025mm666M-652826.03mm666M-1552827.010mm666M-1552827.010mm666M-1552828.05mm666M-1552831.025mm666M-1552831.030mm666M-1552831.030mm666M-2552831.030mm666M-3052832.030mm666M-3552833.15mm666M-3552833.330mm666M-4052834.330mm666M-4052834.340mm666M-4552835			52805	
.010"666-1052807.011"666-1152808.012"666-1252809.013"666-1352810.014"666-1452811.015"666-15528121/2" × 20' Rolls in Cardbard Box1/2" × 20' Rolls in Cardbard Box.016".016"666-169952813.017"666-179952814.018"666-189952815.019"666-1952816.020"666-2052817.021"666-219952818.022"666-2252819.023"666-2352820.024"666-259952821.025"666-259952823.024"666-259952823.025"66652826.03mm666M-39952823.04mm666M-652826.08mm666M-652826.08mm666M-1052831.010mm666M-1552829.025mm666M-1552821.03mm666M-1552831.30mm666M-3052832.35mm666M-3052832.35mm666M-3552831.30mm666M-3552833.30mm666M-4052834.30mm666M-3552833.35mm666M-4052834.35mm666M-4052834.40mm666M-4552835				
.011"666-1152808.012"666-1252809.013"666-1352810.014"666-1452811.015"666-15528121/2" × 20' Rolls in Carror Box1/2" × 20' Rolls in Carror Box.016"666-16.016"666-179952813.017"666-179952814.018"666-189952815.019"666-1952816.020"666-2052817.021"666-219952818.022"666-2252819.023"666-2352820.024"666-259952821.025"666-2599528221.27 x 7.6m Willimeter readium rolls - Dispector Case.03mm666M-39952823.04mm666M-652826.05mm666M-652826.008mm666M-1052828.010mm666M-1552829.020mm666M-3052831.030mm666M-3552831.030mm666M-3552831.300mm666M-3552831.300mm666M-3552832.35mm666M-3552832.35mm666M-4052834.40mm666M-4552834.40mm666M-4552835			52807	
.012"666-1252809.013"666-1352810.014"666-1452811.015"666-15528121/2" × 20' Rolls in Carror Box1/2" × 20' Rolls in Carror Box.016".016"666-169952813.017"666-179952814.018"666-189952815.019"666-1952816.020"666-2052817.021"666-219952818.022"666-2252819.023"666-2352820.024"666-2599528221.025"666-259952823.024"666-259952824.025"666-259952823.024"666M-39952823.025"666M-49952824.03mm666M-552826.008mm666M-652826.008mm666M-1052828.010mm666M-1552829.020mm666M-2552831.030mm666M-3552832.030mm666M-3552832.35mm666M-3552833.300mm666M-3552833.300mm666M-4052834.300mm666M-4552834.300mm666M-4552834.300mm666M-4552834.300mm666M-4552834.300mm666M-4552834.400mm666M-4552835				
.013"666-1352810.014"666-1452811.015"666-15528121/2" × 20' Rolls in Carboard Box1/2" × 20' Rolls in Carboard Box1/2" × 20' Rolls in Carboard Box016"666-169952813.017"666-179952814.018"666-189952815.019"666-1952816.020"666-2052817.021"666-219952818.022"666-2252819.023"666-2352820.024"666-249952821.025"666-2599528221.27 x 7.6m Willimeter readire rolls - Dispester Case0.03mm666M-39952823.04mm666M-652826.08mm666M-652826.08mm666M-1052828.15mm666M-1552829.20mm666M-3052831.30mm666M-3552831.30mm666M-3552832.35mm666M-3552831.30mm666M-3552832.35mm666M-4552834.40mm666M-4552834.40mm666M-4552834.40mm666M-4552834				
.014"666-1452811.015"666-15528121/2" × 20' Rolls in Cartbard Box1/2" × 20' Rolls in Cartbard Box.016"666-16.016"666 -169952813.017"666 -179952814.018"666 -189952815.019"666 -1952816.020"666 -2052817.021"666 -219952818.022"666 -2252819.023"666 -2352820.024"666 -249952821.025"666 -259952822.024"666 -269952823.025"666 -259952824.025"666 -259952824.03mm666M-39952824.05mm666M-652826.008mm666M-652826.008mm666M-1052828.05mm666M-1552829.020mm666M-1552829.020mm666M-2052831.030mm666M-3052832.030mm666M-3552831.030mm666M-3552831.030mm666M-3552831.030mm666M-3552831.030mm666M-3552831.030mm666M-3552831.030mm666M-3552833.030mm666M-4052834.040mm666M-4552835.040mm666M-4552835				
.015"666-15528121/2" × 20' Rolls in Cardbard Box.016"666 -169952813.017"666 -179952814.018"666 -189952815.019"666 -1952816.020"666 -2052817.021"666 -219952818.022"666 -2252819.023"666 -2352820.024"666 -249952821.025"666 -2599528221.025"666 -269952823.03mm666M-39952824.05mm666M-652826.003mm666M-652826.003mm666M-652826.003mm666M-652826.003mm666M-1052826.003mm666M-1552826.005mm666M-1652826.005mm666M-1552826.005mm666M-1552827.010mm666M-1552828.015mm666M-1552829.22mm666M-2052831.30mm666M-3052832.30mm666M-3552831.30mm666M-3552831.30mm666M-3552831.30mm666M-4052834.30mm666M-4052834.30mm666M-4052834.30mm666M-4552835				
1/2" x 20' Rolls in Cardboard Box .016" 666 -16 9952813 .017" 666 -17 9952814 .018" 666 -18 9952815 .019" 666 -19 52816 .020" 666 -20 52817 .021" 666 -21 9952818 .022" 666 -22 52819 .022" 666 -23 52820 .024" 666 -24 9952821 .025" 666 -25 9952822 12.7 x 7.6m Willimeter reading rolls - Dispenser Case 0.03mm 0.04mm 666M-3 9952823 0.04mm 666M-4 9952824 0.05mm 666M-5 52826 0.06mm 666M-6 52826 0.06mm 666M-10 528281 0.10mm 666M-15 52829 0.20mm 666M-20 52831 0.15mm 666M-35 52832 0.30mm 666M-35 52832 0.30mm 666M-35 52833 0.25mm				
.017"666 -179952814.018"666 -189952815.019"666 -1952816.020"666 -2052817.021"666 -219952818.022"666 -2252819.023"666 -2352820.024"666 -249952821.025"666 -25995282212.7 x 7.6m1000000000000000000000000000000000000		x 20' Rolls in Car	dboard Box	
.017"666 -179952814.018"666 -189952815.019"666 -1952816.020"666 -2052817.021"666 -219952818.022"666 -2252819.023"666 -2352820.024"666 -249952821.025"666 -25995282212.7 x 7.6m1000000000000000000000000000000000000	.016"	666 -16	9952813	
.019"666 -1952816.020"666 -2052817.021"666 -219952818.022"666 -2252819.023"666 -2352820.024"666 -249952821.025"666 -25995282212.7 x 7.6m Willimeter readirreadir.03mm666M-39952823.0.04mm666M-652826.0.05mm666M-652826.0.06mm666M-652826.0.08mm666M-652826.0.08mm666M-1052828.10mm666M-1552829.11mm666M-1552829.12mm666M-2052830.15mm666M-3052832.22mm666M-3052832.35mm666M-3552831.30mm666M-3552831.35mm666M-3552833.35mm666M-4552833.35mm666M-4552834.35mm666M-4552834.35mm666M-4552834.35mm666M-4552834.40mm666M-4552834.40mm666M-4552835		666 -17	9952814	
.019"666 -1952816.020"666 -2052817.021"666 -219952818.022"666 -2252819.023"666 -2352820.024"666 -249952821.025"666 -25995282212.7 x 7.6m Willimeter readirreadir.03mm666M-39952823.0.04mm666M-652826.0.05mm666M-652826.0.06mm666M-652826.0.08mm666M-652826.0.08mm666M-1052828.10mm666M-1552829.11mm666M-1552829.12mm666M-2052830.15mm666M-3052832.22mm666M-3052832.35mm666M-3552831.30mm666M-3552831.35mm666M-3552833.35mm666M-4552833.35mm666M-4552834.35mm666M-4552834.35mm666M-4552834.35mm666M-4552834.40mm666M-4552834.40mm666M-4552835	.018"	666 -18	9952815	
.020"666 -2052817.021"666 -219952818.022"666 -2252819.023"666 -2352820.024"666 -249952821.025"666 -25995282212.7 x 7.6m Willimeter readire				
.021"666 -219952818.022"666 -2252819.023"666 -2352820.024"666 -249952821.025"666 -259952822Iz.7 x 7.6m Willimeter readire readire readire readire readire readire readire0.03mm666M-399528230.04mm666M-499528240.05mm666M-5528250.06mm666M-6528260.08mm666M-6528260.08mm666M-10528280.10mm666M-15528290.10mm666M-15528290.20mm666M-20528300.25mm666M-35528310.30mm666M-35528320.30mm666M-35528330.30mm666M-35528310.30mm666M-35528320.30mm666M-35528330.40mm666M-40528340.40mm666M-4552835		666 -20	52817	
.022"666 -2252819.023"666 -2352820.024"666 -249952821.025"666 -259952822 12.7 x 7.6m Willmeter reading rolls - Dispenser Case 0.03mm666M-399528230.04mm666M-499528240.05mm666M-5528250.06mm666M-6528260.05mm666M-6528260.06mm666M-10528280.08mm666M-8528270.10mm666M-10528280.15mm666M-15528290.20mm666M-20528300.25mm666M-25528310.30mm666M-35528320.30mm666M-35528320.30mm666M-35528310.30mm666M-35528330.40mm666M-40528340.40mm666M-4552835		666 -21	9952818	
.023" 666 -23 52820 .024" 666 -24 9952821 .025" 666 -25 9952822 Itemative readius - Dispenser Case 0.03mm 666M-3 9952823 0.04mm 666M-4 9952824 0.05mm 666M-5 52826 0.06mm 666M-6 52826 0.06mm 666M-6 52826 0.06mm 666M-10 52828 0.08mm 666M-10 52828 0.10mm 666M-15 52829 0.20mm 666M-20 52831 0.25mm 666M-25 52831 0.30mm 666M-35 52832 0.30mm 666M-35 52832 0.30mm 666M-35 52831 0.30mm 666M-35 52832 0.30mm 666M-35 52833 0.30mm 666M-35 52833 0.40mm 666M-40 52834 0.40mm 666M-45 52835		666 -22	52819	
.024" 666 -24 9952821 .025" 666 -25 9952822 12.7 x 7.6m Willimeter reading volls - Dispenser Case 0.03mm 666M-3 9952823 0.04mm 666M-4 9952824 0.05mm 666M-5 52825 0.06mm 666M-6 52826 0.08mm 666M-6 52826 0.08mm 666M-10 52828 0.08mm 666M-10 52828 0.10mm 666M-15 52829 0.20mm 666M-15 52830 0.25mm 666M-20 52831 0.30mm 666M-35 52832 0.30mm 666M-35 52832 0.30mm 666M-35 52832 0.30mm 666M-35 52833 12.7 x 6.1m Willimeter reading rolls - Cardbox 0.40mm 666M-40 52834 0.40mm 666M-45 52835			52820	
.025" 666 -25 9952822 12.7 x 7.6m iiiimeter readir rolls - Disperser Case 0.03mm 666M-3 9952823 0.04mm 666M-4 9952824 0.05mm 666M-5 52825 0.06mm 666M-6 52826 0.08mm 666M-6 52826 0.08mm 666M-10 52827 0.10mm 666M-15 52829 0.20mm 666M-15 52829 0.20mm 666M-20 52831 0.25mm 666M-35 52832 0.30mm 666M-35 52832 0.30mm 666M-35 52833 12.7 x 6.1m iiimeter readir rolls - Cardbox 0.40mm 666M-45 52834 0.40mm 666M-45 52835				
12.7 x 7.6m Millimeter reading rolls - Dispenser Case 0.03mm 666M-3 9952823 0.04mm 666M-4 9952824 0.05mm 666M-5 52825 0.06mm 666M-6 52826 0.08mm 666M-8 52827 0.08mm 666M-10 52828 0.10mm 666M-10 52828 0.15mm 666M-15 52829 0.20mm 666M-20 52830 0.25mm 666M-25 52831 0.30mm 666M-30 52832 0.30mm 666M-35 52833 12.7 x 6.1m Millimeter reading rolls - Cardboard Box 0.40mm 0.40mm 666M-45 52834			9952822	
0.03mm 666M-3 9952823 0.04mm 666M-4 9952824 0.05mm 666M-5 52825 0.06mm 666M-6 52826 0.08mm 666M-6 52826 0.08mm 666M-7 52827 0.10mm 666M-10 52828 0.15mm 666M-15 52829 0.20mm 666M-20 52831 0.30mm 666M-30 52832 0.35mm 666M-35 52833 12.7 x 6.1m Willimeter reading rolls - Cardboard Box 0.40mm 666M-40 52834 0.45mm 666M-45 52835		Millimeter readin	g rolls - Disper	ser Case
0.04mm 666M-4 9952824 0.05mm 666M-5 52825 0.06mm 666M-6 52826 0.08mm 666M-8 52827 0.08mm 666M-10 52828 0.10mm 666M-10 52828 0.15mm 666M-15 52829 0.20mm 666M-20 52830 0.25mm 666M-25 52831 0.30mm 666M-30 52833 0.30mm 666M-35 52833 0.35mm 666M-35 52833 0.40mm 666M-40 52834 0.40mm 666M-45 52835				
0.05mm 666M-5 52825 0.06mm 666M-6 52826 0.08mm 666M-8 52827 0.10mm 666M-10 52828 0.15mm 666M-15 52829 0.20mm 666M-20 52830 0.25mm 666M-25 52831 0.30mm 666M-30 52833 0.30mm 666M-35 52833 0.35mm 666M-35 52833 0.35mm 666M-35 52833 0.40mm 666M-40 52834 0.40mm 666M-45 52835				
0.06mm 666M-6 52826 0.08mm 666M-8 52827 0.10mm 666M-10 52828 0.15mm 666M-15 52829 0.20mm 666M-20 52830 0.25mm 666M-25 52831 0.30mm 666M-30 52832 0.35mm 666M-35 52833 12.7 x 6.1m Willimeter readiry rolls - Cardboxrd Box 0.40mm 666M-40 52834 0.45mm 666M-45 52835				
0.08mm 666M-8 52827 0.10mm 666M-10 52828 0.15mm 666M-15 52829 0.20mm 666M-20 52830 0.25mm 666M-25 52831 0.30mm 666M-30 52832 0.35mm 666M-35 52833 12.7 x 6.1m illimeter reading rolls - Cardboard Box 0.40mm 666M-40 52834 0.45mm 666M-45 52835				
0.10mm 666M-10 52828 0.15mm 666M-15 52829 0.20mm 666M-20 52830 0.25mm 666M-25 52831 0.30mm 666M-30 52832 0.35mm 666M-35 52833 12.7 x 6.1m illimeter reading rolls - Cardboard Box 0.40mm 666M-40 52834 0.40mm 666M-45 52835				
0.15mm 666M-15 52829 0.20mm 666M-20 52830 0.25mm 666M-25 52831 0.30mm 666M-30 52832 0.35mm 666M-35 52833 12.7 x 6.1m illimeter reading rolls - Cardboard Box 0.40mm 666M-40 52834 0.45mm 666M-45 52835				
0.20mm 666M-20 52830 0.25mm 666M-25 52831 0.30mm 666M-30 52832 0.35mm 666M-35 52833 12.7 x 6.1m Willimeter readius rolls - Cardboard Box 0.40mm 666M-40 52834 0.40mm 666M-45 52835				
0.25mm 666M-25 52831 0.30mm 666M-30 52832 0.35mm 666M-35 52833 12.7 x 6.1m Willimeter readiry rolls - Cardboard Box 0.40mm 666M-40 52834 0.45mm 666M-45 52835				
0.30mm 666M-30 52832 0.35mm 666M-35 52833 12.7 x 6.1m Willimeter reading rolls - Cardboard Box 0.40mm 666M-40 52834 0.45mm 666M-45 52835				
0.35mm 666M-35 52833 12.7 x 6.1m Willimeter reading rolls - Cardboard Box 0.40mm 666M-40 52834 0.45mm 666M-45 52835				
12.7 x 6.1m Millimeter reading rolls - Cardboard Box 0.40mm 666M-40 52834 0.45mm 666M-45 52835				
0.40mm 6666M-40 52834 0.45mm 6666M-45 52835				
0.45mm 666M-45 52835	12.7 x 6.1m	Millimeter reading	g rolls - Cardbo	oard Box
	0.40mm	666M-40	52834	
	0.45mm	666M-45	52835	
0.50mm 666M-50 52836	0.50mm	666M-50	52836	

*Cardboard Box

Tel 201.518.8472 / 800.388.0459 (USA & CANADA) / Email sales@msdiscounttool.com

THICKNESS GAGE OR "FEELER" STOCK ASSORTMENTS

STARRETT SERIES 667:

- Made of finest tempered steel, with rounded edges, carefully finished to size.
- Each piece is marked with thickness and furnished in an individual envelope.
- Convenient 3/16" hole punched in end for hanging up.



Order No.	EDP No.	Description	Price
S667A	63274	Complete Starrett Inch Thickness Gage Assortment. One Each, 32 Different Sizes 1/2x12 long from .001030" thick.	
S667MA	64949	Complete Starrett Millimeter Thickness Gage Assortment. One each, 14 Different Sizes. 12.5x300mm long from 0.03-0.50mm thick.	
		Bulk Assortment	
S667D	52883	Bulk Quantity Assortment: 108 pieces in Nine Thickness Sizes; 12 pieces of a size per box; .0015, .002, .003, .004, .006, .008, .010, .012, .015"	

KEY STOCK ASSORTMENT -38 pc.

.



THREADED ROD (STEEL - OIL FINISH) SERIES 682:

36" Lonaths

SERIES 680:

• 6 ea. - 1/8, 3/16, 1/4, 5/16, 3/8

Order No. 6805032

• 4 ea. - 7/16, 1/2

Includes:

	Threads	NC		NF	
Size	per Inch	Order No.	Price	Order No.	Price
6	32	6820632		-	
8	32	6820832		-	
10	24-32	6821024		6821032	
1/4	20-28	6821620		6821628	
5/16	18-24	6822018		6822024	
3/8	16-24	6822416		6822424	
7/16	14-20	6822814		6822820	
1/2	13-20	6823213		6823220	
5/8	11-18	6824011		6824018	
3/4	10-16	6824810		6824816	
7/8	9-14	6825609		6825614	
1	8-14	6826408		6826414	



MUSIC WIRE SERIES 679:

An essential item for in-plant maintenance as well as many other applications. This wire is made to very close tolerance with both high Tensile (stretching) and high Torsional (twisting) strength. Applications include: spring winding, control linkages, guy wires, gage needles, food cutting and armature binding.

One pound dispenser cartons.



Diameter	Order	
(Decimal)	No.	Price
.006	6790006	
.008	6790008	
.010	6790010	
.012	6790012	
.014	6790014	
.016	6790016	
.020	6790020	
.024	6790024	
.026	6790026	
.029	6790029	
.031	6790031	
.033	6790033	
.035	6790035 6790039	
.039 .041	6790039	
.043	6790043	
.045	6790045	
.047	6790047	
.059	6790059	
.063	6790063	
.071	6790071	
.080	6790080	
.090	6790090	
.125	6790125	

KEY STOCK SERIES 680



High quality, low carbon mild steel drawn to oversize tolerance to insure tight fit. Each piece is Electro-Zinc plated for clean handling and clearly imprinted with its size for quick selection

SQUARE - 12" Lengths

Size	Lengths per Bundle	Order No.	Price Each
1/8	10	6800008	
5/32	10	6800010	
3/16	6	6800012	
7/32	6	6800014	
1/4	6	6800016	
9/32	6	6800018	
5/16	6	6800020	
3/8	6	6800024	
7/16	4	6800028	
1/2	4	6800032	
9/16	4	6800036	
5/8	4	6800040	
11/16	4	6800044	
3/4	4	6800048	
13/16	4	6800052	
7/8	4	6800056	
1	4	6800064	