



AIR HOSE
SERIES 959:



Neoprene Hose Assemblies

Able to withstand working pressures up to 300 psi and temperatures up to 180°F yet maintain flexibility.

Impervious to oil, gasoline, grease and solvents.



Neoprene Pigtail Assemblies

Extends the life of the coupler by acting as a shock absorber and protecting it against tool vibration.



Model No.	Hose Length	Hose ID	MPT Fitting	Order No.	Price Each
R14012	12'	1/4"	1/4"	24232	
R14025	25'	1/4"	1/4"	24239	
R14050	50'	1/4"	1/4"	24246	
R380124	12'	3/8"	1/4"	24330	
R380254	25'	3/8"	1/4"	9924344	
R380504	50'	3/8"	1/4"	24358	
R38012	12'	3/8"	3/8"	24323	
R38025	25'	3/8"	3/8"	24337	
R38050	50'	3/8"	3/8"	24351	

Model No.	Hose Length	Hose ID	MPT Fitting	Order No.	Price Each
RP0406	6"	1/4"	1/4"	25504	
RP0412	12"	1/4"	1/4"	25511	
RP0418	18"	1/4"	1/4"	25525	
RP0424	24"	1/4"	1/4"	25539	
RP0612	12"	3/8"	3/8"	25595	
RP0618	18"	3/8"	3/8"	25609	
RP0624	24"	3/8"	3/8"	25623	

Flexeel Inner - Braided Polyurethane Hose

200 psi working pressure.

Extremely flexible even in subzero temperatures.



Flexeel Lead-in Hose Assemblies with Ball Swivel Fittings

Prolongs hose life by eliminating end stress and increases production by facilitating tool manipulation.



Use between the air hose and the coupler.

Model No.	Hose Length	Hose ID	MPT Fitting	Order No.	Price Each
PFE40254T	25'	1/4"	1/4"	9950312	
PFE40256T	25'	1/4"	3/8"	0050313	
PFE40504T	50'	1/4"	1/4"	9950314	
PFE40506T	50'	1/4"	3/8"	9950315	
PFE41004T	100'	1/4"	1/4"	9950316	
PFE41006T	100'	1/4"	3/8"	9950317	
PFE60254T	25'	3/8"	1/4"	0950321	
PFE60256T	25'	3/8"	3/8"	9950322	
PFE60504T	50'	3/8"	1/4"	9950323	
PFE60506T	50'	3/8"	3/8"	9950324	
PFE61004T	100'	3/8"	1/4"	9950325	
PFE61006T	100'	3/8"	3/8"	9950326	

Model No.	Hose Length	Hose ID	Male Ball Swivel x Female Rigid	Order No.	Price Each
FP0412BS	12"	1/4"	1/4" NPT	29600	
FP0418BS	18"	1/4"	1/4" NPT	29601	
FP0424BS	24"	1/4"	1/4" NPT	29602	
FP0430BS	30"	1/4"	1/4" NPT	29603	
FP0436BS	36"	1/4"	1/4" NPT	29604	
FP0460BS	60"	1/4"	1/4" NPT	29605	
FP06124BS	12"	3/8"	1/4" NPT	29612	
FP06184BS	18"	3/8"	1/4" NPT	29613	
FP06244BS	24"	3/8"	1/4" NPT	29614	
FP06304BS	30"	3/8"	1/4" NPT	29615	
FP06364BS	36"	3/8"	1/4" NPT	29616	
FP06604BS	60"	3/8"	1/4" NPT	29617	

Nylon 11 Self Storing Hose

Withstands temperatures between -60°F and +200°F. Highly flexible and lightweight.



Model No.	Hose Length	Hose ID	MPT Fitting	Order No.	Price Each
N14-12B	12'	1/4"	1/4" (2 SW)	27475	
N14-17B	17'	1/4"	1/4" (2 SW)	27503	
N14-25B	25'	1/4"	1/4" (2 SW)	27531	
N14-50B	50'	1/4"	1/4" (2 SW)	27559	
N38-12B	12'	3/8"	3/8" (2 SW)	27678	
N38-17B	17'	3/8"	3/8" (2 SW)	27727	
N38-25B	25'	3/8"	3/8" (2 SW)	27776	
N38-50B	50'	3/8"	3/8" (2 SW)	27825	

Flexcoil Polyurethane Self Storing Hose

Kink and abrasion resistant. Lightweight and extremely durable.



Model No.	Hose Length	Hose ID	MPT Fitting	Order No.	Price Each
PU14-10B-B	10'	1/4"	1/4"	48022	
PU14-20B-B	20'	1/4"	1/4"	48102	
PU14-25B-B	25'	1/4"	1/4"	48142	
PU14-50B-B	50'	1/4"	1/4"	48402	
PU38-10B-B	10'	3/8"	3/8"	48942	
PU38-20B-B	20'	3/8"	3/8"	49062	
PU38-25B-B	25'	3/8"	3/8"	49122	
PU38-50B-B	50'	3/8"	3/8"	49442	



BLOW GUNS

SERIES 959:



Standard Safety Tip Lever Operated Blow Gun



Ergonomically designed to fit the contour of the users' hand.

Model No.	Description	Order No.	Price Each
600S-DL	Safety Tip	9913123	

Tamperproof Safety Lever Operated Blow Gun



Features a tip that is permanently attached to the body assuring OSHA Compliance and user safety.

Model No.	Description	Order No.	Price Each
600ST-DL	Tamperproof Tip	9913205	

Extension Tip Safety Lever Operated Blow Gun



The ideal solution for longer reach into tight places.

Model No.	Description	Order No.	Price Each
603-S	3" Extension Tip	13179	
606-S	6" Extension Tip	13186	
612-S	12" Extension Tip	913207	
616-S	16" Extension Tip	13214	
624-S	24" Extension Tip	13228	
636-S	36" Extension Tip	13242	

Brass Tip Button Blow Gun



Ventless tip provides most economical means of achieving a concentrated air stream for many blow-off applications.

Model No.	Description	Order No.	Price Each
605	Brass Tip	9913172	

High Volume Safety Tip Pistol Grip Blow Gun



Designed to increase flow while reducing air consumption.

Model No.	Description	Order No.	Price Each
600V-S	High Volume Safety Tip	15257	

Needle Blow Gun Tips



These Needle Tips allow the user to get into and blow out tight cavities, crevices and dies that are too narrow for other tips to reach. The needle portion is made from stainless steel and the nickel plated brass base with 1/8" MPT will fit most blow guns.

Model No.	Description	Order No.	Price Each
SNT-1	.042" x 15/16"	22361	
SNT-2	.050" x 1-3/16"	22362	
SNT-3	.072" x 1-3/4"	22363	
SNT-4	.095" x 2-15/32"	22364	
SNT-5	.134" x 2-3/4"	22365	
SNT-KIT-DPB	Blow Gun Needle Tip Assortment	9922246	

Extended Nozzle Safety Pistol Grip Blow Gun



Slender 4" nozzle allows access to hard to reach places and holes as small as .200".

Model No.	Description	Order No.	Price Each
770S	Safety Tip	92271	

Pistol Grip Safety Tip Blow Gun



Assures user comfort even during long term use.

Model No.	Description	Order No.	Price Each
700S	Safety Tip	13473	

Rubber Tip Blow Gun



Ideal for blowing out molds or any other delicate surface brass tips might damage.

Model No.	Description	Order No.	Price Each
601	Rubber Tip	13158	

BLOW GUN KIT

SERIES 959:

Blow Gun Kit includes a tip for virtually every application

- 771 Pistol-Grip Blow Gun-light weight yet rugged with variable flow control
- Non-Safety tip for applications that require a concentrated air stream (SAT15)
- Standard Safety tip for OSHA compliance (ST10)
- Safety Booster tip for OSHA compliance and higher volume (ST11)
- High Volume Safety Tip for OSHA compliance, low air consumption and highest volume (SV-10)
- Inflator tip fits over valves to inflate tires
- Rubber tip for blowing out molds or use with other delicate surfaces (SAT13)



- Assortment of five needle tips for precise air delivery (SNT-Kit)
- 10" Safety Extension Tip OSHA compliant extension tip (ST210)
- A connector so the blow gun is ready to use right out of the box



- Strong transparent cover allows customers to see kit contents
- Durable and compact for easy storage in a work area or toolbox
- Gun features a brass-reinforced 1/4" FPT inlet
- Contents lock into place within the kit to ensure that they remain stationary and undamaged when not in use

Model No. BG-KITCST

Order No. 9590010	Price: <input type="text"/>
-------------------	-----------------------------



COUPLERS AND CONNECTORS



SERIES 959:

Industrial Interchange Couplers (15 Series)

1/4" Body Size



Thread/Barb	Female Model No.	Order No.	Price Each	Male Model No.	Order No.	Price Each
1/4"	150	11552		152	11573	
3/8"	151	11566		155	11601	

Industrial Interchange Connectors (15 Series)

1/4" Body Size



Thread/Barb	Female Model No.	Order No.	Price Each	Male Model No.	Order No.	Price Each
1/4"	1502	9911650		1501	11636	
3/8"	1505	11671		1503	11657	

Industrial Interchange Couplers (58 Series)

3/8" Body Size



Thread/Barb	Female Model No.	Order No.	Price Each	Male Model No.	Order No.	Price Each
1/4"	582	9912252		583	9912259	
3/8"	580	912238		581	9912245	

Industrial Interchange Connectors (58 Series)

3/8" Body Size



Thread/Barb	Female Model No.	Order No.	Price Each	Male Model No.	Order No.	Price Each
1/4"	5804	9912322		5803	12315	
3/8"	5802	9912308		5801	9912301	

ARO Interchange Couplers (14 Series)

1/4" Body Size



Thread/Barb	Female Model No.	Order No.	Price Each	Male Model No.	Order No.	Price Each
1/4"	140	9911461		142	11489	
3/8"	141	9911482		145	11499	

ARO Interchange Connectors (14 Series)

1/4" Body Size



Thread/Barb	Female Model No.	Order No.	Price Each	Male Model No.	Order No.	Price Each
1/4"	1402	11510		1401	11503	
3/8"	1405	11531		1403	11517	

Tru-Flate Interchange Couplers (16 Series)

1/4" Body Size



Thread/Barb	Female Model No.	Order No.	Price Each	Male Model No.	Order No.	Price Each
1/4"	160	11726		162	11747	
3/8"	161	11740		165	11768	

Tru-Flate Interchange Connectors (16 Series)

1/4" Body Size



Thread/Barb	Female Model No.	Order No.	Price Each	Male Model No.	Order No.	Price Each
1/4"	1602	11803		1601	11796	
3/8"	1605	11824		1603	11810	

Lincoln Interchange Couplers (17 Series)

1/4" Body Size



Thread/Barb	Female Model No.	Order No.	Price Each	Male Model No.	Order No.	Price Each
1/4"	170	11886		172	11893	

Lincoln Interchange Connectors (17 Series)

1/4" Body Size



Thread/Barb	Female Model No.	Order No.	Price Each	Male Model No.	Order No.	Price Each
1/4"	1702	11907		1701	9911900	

Megaflow Interchange Couplers (11 Series)

1/4" Body Size



Thread/Barb	Female Model No.	Order No.	Price Each	Male Model No.	Order No.	Price Each
1/4"	110	911103		112	11117	
3/8"	111	11110		-		

Megaflow Interchange Connectors (11 Series)

1/4" Body Size



Thread/Barb	Female Model No.	Order No.	Price Each	Male Model No.	Order No.	Price Each
1/4"	1102	11145		1101	9911138	
3/8"	1105	911159		1103	9991152	

Automatic Universal Connectors

1/4" Body Size

Body Size	Thread/Barb	Female Model No.	Order No.	Price Each
1/4"	1/4"	150U	11560	



Automatic Universal Connectors

1/4" Body Size

Body Size	Thread/Barb	Male Model No.	Order No.	Price Each
1/4"	1/4"	152U	11578	





FOR APPLICATIONS WHERE SPACE IS LIMITED SUCH AS COMPACT CONTROLS AND MINIATURE CIRCUITS

TOP LEVEL PERFORMANCE AND LONG LASTING DURABILITY

Miniature Series Filters

Manual drain allows quick and easy removal of fluids. Bowl volume 1.5 oz.



Model No.	Pipe Size	Order No.	Price Each
MF1	1/8"	18499	
MF2	1/4"	18492	

Heavy Duty Series Filters

Manual drain, polycarbonate bowl, and 40 micron sintered bronze element supplied as standard.



Model No.	Pipe Size	Order No.	Price Each
8822	1/4"	15491	
8823	3/8"	9915659	
8824	1/2"	9915876	

Miniature Series Lubricators

Tamperproof cap can be used to adjust oil delivery rate and lock desired lubrication level in place.



Provides constant oil delivery at both steady and pulsing air flows.

Model No.	Pipe Size	Order No.	Price Each
ML1	1/8"	18513	
ML2	1/4"	18506	

Heavy Duty Series Lubricators

Polycarbonate bowl supplied as standard.

Can be filled without shutting down air lines feeding production equipment.



Model No.	Pipe Size	Order No.	Price Each
8842	1/4"	16525	
8843	3/8"	16546	
8844	1/2"	16581	

Miniature Series Regulators

Built in self-relieving feature prevents excessive downstream pressure build up.



Model No.	Pipe Size	Order No.	Price Each
MR1	1/8"	18527	
MR2	1/4"	18520	

Heavy Duty Series Regulators

Assures highest flow rates with accurate control and fast response.

Pressure gauge 0-125 psi supplied as standard.



Model No.	Pipe Size	Order No.	Price Each
8802G	1/4"	15172	
8803G	3/8"	15235	
8804G	1/2"	15298	

Miniature Series Filters, Regulator, and Lubricator Assemblies

Features tough die cast zinc body construction with either 1/8" or 1/4" in/out port.



Includes a 0 - 160 psi pressure gauge.


Model No.	Pipe Size	Order No.	Price Each
MFRL1-G	1/8"	77295	
MFRL2-G	1/4"	77367	

Heavy Duty Filter, Regulator, and Lubricator Assemblies

Top level performance and long lasting durability are assured with features such as extra large filter elements, critically close air regulation, positive mist type atomization & die cast aluminum bodies.



Model No.	Pipe Size	Order No.	Price Each
8882AAG	1/4"	16922	
8883AAG	3/8"	16964	
8884AAG	1/2"	17006	

While we show only the most popular  items we can supply their entire range of products; please inquire.